# **ESD SMT Splicing Products**



## SMT double splice tape (01 series)

Product image	Description	P/N	Application	Qty	Color	ESD	No ESD
A fr					С	<b>V</b>	V
TEL WILLIAM	Double splice	SMS0108/12/16/24	For 8mm/12mm/16mm/ 24mm carrier tape	500/250Pcs/Box	N	√	V
	The state of the s				G	<b>V</b>	V
tape		(Emboss)		M	<b>√</b>	V	
			Art Control of the Co	7	L L	<b>V</b>	V

Double embossed dots designed for easy alignment, applicable for jointing paper Carrier tape, one piece for one jointing.

# SMT Single splice tape (03 series)

Product image	Description	P/N	Application	Qty	Color	ESD	No ESD
			Contract the second of		С	V	V
	Single splice SA		For 8mm/12mm/16mm/	4000/2000/1000	N	V	V
- I		SMS0308/12/16/24/	24mm/32mm/44mm/		G	V	V
tape	32/44/55	55mm carrier tape	Pcs/Box	M	√	<b>■</b>	
			(Emboss)	and the second second	L	V	V

Applicable for all machine, can be used with splice clips for a more reliable jointing.

# SMT Universal splice tape with clip (08 series)

Product image	Description	P/N	Application	Qty	Color	ESD	No ESD
Monada					С	V	V
Universal splice		For 8mm/12mm/16mm/	Construction of the Constr	N	V	V	
		SMS0808/12/16/24	24mm carrier tape	500/250Pcs/Box	G	<b>√</b>	V
tape		(Emboss)		M	V	<b>√</b>	
					L	<b>√</b>	V

Applicable for all machine, high reliability of jointing, easy operation.



## SMT special splice tape (09 series)

Product image	Description	P/N	Application	Qty	Color	ESD	No ESD
			The same of the country of the same		С	V	✓
Special splice tape	SMS0908/12/16/24 24n	For 8mm/12mm/16mm/	500/250Pcs/Box	N	1	✓	
		24mm carrier tape		G	V	V	
	V/6868 ()		(Emboss)		м	<b>V</b>	<b>√</b>
						_ ✓	√

Especially applicable for Universal, Juki, Sanyo, Hitachi machine, 3 tape strips designed for strong jointing with high reliability.

# SMT splice cover tape extender (11 series)

Product image	Description	P/N	Application	Qty	Color	ESD	No ESD
					С	V	<b>√</b>
		SMS1108/12/16/24/	For 8mm/12mm/16mm/ 24mm/32mm carrier tape (Emboss)	500/250Pcs/Box	N	V	V
	SMT Cover tape				G	V.	V
	extender	32			M	<b>√</b>	1
	2				- L	1	V

Worked as a extender for reduction of remaining components wastage.

# SMT special splice tape (13 series)

Product image	Description	P/N	Application	Qty	Color	ESD	No ESD
				500/250Pcs/8ox	c	4	V
		SMS1308/12/16/24	For 8mm/12mm/16mm/ 24mm carrier tape		N	V	1
	Special splice				G	4	1
tape	tape		(Emboss)		M	V	V
The Million					L	V	V

Especially applicable Hitachi, Panasonic CM402, machine detective to avoid wrong components jointing.



# SMT universal splice tape with 8 holes (15 series)

Product image	Description	P/N	Application	Qty	Color	ESD	No ESD
O Pandung 0			Carrier Service Const N		С	√	V
- 11.00 E-10.00	Universal splice tape	SMS1508/12/16/24/ 32/44	For 8mm/12mm/16mm/	500/250Pcs/Box	N	V	V
			24mm/32mm/44mm		G	<b>√</b>	√
o amendada o	See	( <del>100</del> , 200	carrier tape (Emboss)		M	√	✓
					L.	V	V

8 holes designed for easy alignment, can be used with positioning fixture for more accurate and reliable jointing.

# ESD SMT special splice tape with clip (16 series)

Product image	Description	P/N	Application	Qty	Color	ESD	No ESD
			The same of the sa		С	✓	V
	Special splice tape & clips	SMS1608/12/16/24/ 32	For 8mm/12mm/16mm/		N	4 V	√
			24mm/32mm carrier tape	500/250Pcs/Box	G	<b>√</b>	4
tape of clips	tape or cups		(Emboss)		M	- √	V
			37747253555		1	<b>V</b>	V

Especially applicable for Panasonic, machine detective, tape with clips designed for more reliable jointing.

# SMT single splice tape with alignment guide (17 series)

Product image	Description	P/N	Application	Qty	Color	ESD	No ESD
TIME TIME	March and the state of the stat				С	<b>V</b>	✓
	single splice tape	For 8mm/12mm/16mm/		N	√	V	
with alignment	SMS1708/12/16/24	24mm carrier tape	1000Pcs/Box	G	<b>V</b>	V	
\44	guide		(Emboss)		M	V	V
					- 1	V	V

Applicable for all machines, single splace with alignment guide, can be used with splice clips for a more realible jointing.



## SMT double splice tape with alignment guide (18 series)

Product image	Description	P/N	Application	Qty	Color	ESD	No ESD
Double splice tape with alignment guide		For 8mm/12mm/16mm/		С	V	V	
	Double splice		For 8mm/12mm/16mm/		N	V	V
	SMS1808/12/16/24	24mm carrier tape (Emboss)	500/250Pcs/Box	G	V	V	
				M	<b>√</b>	V	
			7		Light 1	V	V

Applicable for all machines, double splice with alignment guide, easy operation for paper Carrier tape with accurate jointing.

# SMT special splice tape (19 series)

Product image	Description	P/N	Application	Qty	Color	ESD	No ESD
					С	<b>V</b>	<b>√</b>
	Special splice		For 8mm carrier tape	0.693503350	N	√	V
	tape	SMS1908	(Emboss)	500Pcs/Box	G	V	V
	Cape.		(Citional)		M	√	V
						√	<b>√</b>

Especially applicable for Universal, Juki, Sanyo, Hitachi machines, 4 tape strips designed for strong jointing with high reliability.

# SMT special splice tape (20 series)

Product image	Description	P/N	Application	Qty	Color	ESD	No ESD
					C	V	V
0	Special splice	SM52008	For Sman confer tons	500Pcs/Box	N	· V	V
			For 8mm carrier tape (Emboss)		G	√.	√
	tape		(Cinacia)		M	V	V
					L	V	V

Applicable for Universal, Sanyo, Hitachi machine, 8 holes designed for easy alignment, accurate and reliable jointing.



# SMT single splice tape (21 series)

Product image	Description	P/N	Application	Qty	Color	ESD	No ESD
					С	V.	V
	Single special		For 4mm carrier tape	VMPRWITHURS -	N	V	V
	splice tape	SMS2104C	(Emboss)	S00Pcs/Box	G	<b>√</b>	√
			N		М	<b>V</b>	<b>√</b>
1012					L	V	V

For jointing 4mm Carrier tape only.

## SMT special splice tape (25 series)

Product image	Description	P/N	Application	Qty	Color	ESD	No ESD
	A A L		i		С	V	<b>√</b>
	Canadal salina	CMC3000/13/16/34/	For 8mm/12mm/16mm/	A SERVICE AND A	N	V	V
	Special splice	SMS2508/12/16/24/ 32/44	24mm/32mm/44mm	500/250Pcs/Box	G	Ÿ	<b>√</b>
Special splice tape	34/44	carrier tape (Emboss)		М	V	√	
Daniel Broad					L	V	V

Especially applicable for Panasonic & KME machine detective, reliable jointing.

# SMT special splice tape for Fuji NXT (27 series)

Product image	Description	P/N	Application	Qty	Color	ESD	No ESD	
THE PARTY OF THE P						С	<b>√</b>	No ESD
	Special splice	SMS2704/08/12/16/	For 4mm/8mm/12mm/	HEROTE SELECTION OF THE PARTY O	N.	<b>V</b>	<b>√</b>	
	tape	24	16mm/24mm carrier tape	500/250Pcs/Box	G	1	V	
	12000	(2007)	(Emboss)	100	M	V	V	
					E	<b>√</b>	V	

Applicable for Fuji NXT, machine detective, reliable and accurate jointing.



## SMT special splice tape for Fuji NXT-automatic(31 series)

Product image	Description	P/N	Application	Qty	Color	ESD	No ESD
					С	V	✓
The state of the s	Constal soften		For Boson construction		N	V	V
	Special splice	SMS3108X	For 8mm carrier tape (Emboss)	1200Pcs/Roll	G	V	V
	tape		(Emboss)		M	V	I √
					L	√	<b>√</b>

Especially applicable for Fuji NXT-automatic splicing machine with detective features.

## SMT special splice tape for Panasonic-automatic (34 series)

Product image	Description	P/N	Application	Qty	Color	ESD	No ESD
					С	¥.	<b>√</b>
	Constat college			VSVSKSKA CHARACT	N	V	V
	Special splice	SMS3416GC	For 8mm carrier tape (Emboss)	1200Pcs/Roll	G	V	V
	tape		temoossy		M	V	V
			4		1	V	V

Especially applicable for Panasonic-automatic splicing machine with detective features.

# SMT special splice for Panasonic (35 series)

Product image	Description	P/N	Application	Qty	Color	ESD	No ESD
					C	<b>√</b>	<b>√</b>
	**********		For Board 2000 (15000)	Personal Company of the Company of t	N	V	<b>√</b>
	Special splice tape	SMS3508/12/16/24	For 8mm/12mm/16mm/ 24mm carrier tape	500/250Pcs/Box	G	V	<b>√</b>
	tape		(Emboss)	1	M	V	√
	7		36707000000		L	√	V


Two guides design for easy alignment and high jointing efficiency.



## **SMT** special splice tape for Automatic splicing (36 series)

Product image	Description	P/N	Application	Qty	Color	ESD	No ESD
					С	√	V
	Special splice		For 8mm carrier tape		N	<b>√</b>	V
	tape	SMS3608X	(Emboss)	1200/3000Pcs/	G	<b>√</b>	V
			(Annual State)	Box	M	<b>√</b>	<b>V</b>
			1		L	V	V

Especially applicable for Automatic splicing machine, can be detective, high jointing efficiency.





#### **SMT** splice trolley TL03/TL01





# This splicing trolley is intergrated with KHJ own splicing plier, cutter and splicing tape for perfect SMT splicing solution.

- 1. Additional platform for laptop is designed for real-times production IMS.
- 2. Wheels: 360° rotatable (movable around production floor in all direction).
- 3. Splicing plate: Height can be adjusted (900mm 1030mm).
- 4. Materials tray: convenient for picking & placing of carrier tape, clips, cutter/plier.
- 5. Special designed tool base and cooper scrap collection box: splice plier can be rotated freely easy to load and unload plier.
- 6. Junk box: simple and light with anti-static material, good for waste collection.

#### **SMT pleir-type splice tool TL10**



- Clutching handle easily, flexible operation and durable.
- High accuracy and reliable jointing.
- Portable for manual jointing operation.

## SMT new stapler-type splice tool TLC102C/TL100





- Complete 20 joints continuously, it can push new frame clip automatically like stapler for non-stop jointing operation.
- Safety design, no scrap copper to hurt operators hand

### Al splice cutter TL70



- Used to cut the Al carrier tape.
- Makes the Al carrier tape jointing easier and more convenient.

## SMT Positioning cutter with tooth TL63/TL62/TL61/TL60





- Applied for precisely cutting all size of carrier tapes.
- Can cut exactly at middle of two components to avoid component damage.
- Small size version, which can be easily put into operators pocket.
- Tooth design, it makes the jointing operation more convenient and precise.

## **SMT** splice cutter **TL33**



- Sharp and durable cutting Blade.
- Special positional device design.
- · Easily open the spring between 2 handles after cutting.
- Locking device at end of handle for safety purpose in unused condition.

#### **SMT** splice cutter **TL30**



- Simple design, easily operated.
- Safety design with locking device.

### **SMT splice cutter TL301H**



• Anti-static handle, excellent Steel material, with adjustable handle opening distance.


## **SMT** positioning cutter TL20/TL21





- Special positioning fuction, safety design, no scrap copper to hurt operators hand.
- Special material, long lifespan.

## **SMS-0604 Staple-type frame clips**



No scrap copper side to avoid hurting operators hand.

## 11-Hole individual copper clips SMS-0600



- 100% pure copper, thin, reliable.
- Available for jointing all sizes of carrier tapes.